






LAND CRUISER 70 SERIES





70 Series AS RUGGED AS AFRICA

The indestructible Land Cruiser 70 series surrenders to no challenge; it is steadfast and bold. This range of vehicles is built to perform and work as hard as you do, which is why they have been at the helm of 4x4 African motoring for more than 60 years. A 4.5ℓ V8 engine with 151 kW of power and 430 Nm of torque is now available in the Station Wagon, Single Cab and Double Cab ranges. Tackling the toughest of terrains with ease, the Land Cruiser 70 series is truly as rugged as Africa.

The Land Cruiser 70 series is available in seven models: Land Cruiser 76 Station Wagon Diesel 4.5 ℓ V8 Land Cruiser 79 Single Cab Diesel 4.2 ℓ Land Cruiser 79 Single Cab Petrol 4.0 ℓ

Land Cruiser 79 Single Cab Diesel 4.5ℓ V8 Land Cruiser 79 Double Cab Diesel 4.2ℓ Land Cruiser 79 Double Cab Petrol 4.0ℓ Land Cruiser 79 Double Cab Diesel 4.5ℓ V8





70 Series 76 V8 STATION WAGON EMBARKON AN AFRICAN ADVENTURE

If you're planning on venturing into the wild open country, the Land Cruiser 76 V8 Station Wagon is the perfect vehicle to see it all and get away from it all. Its spacious interior can seat up to five adults in comfort with extra space for luggage. The vehicle also has a fuel capacity of 130 litres to take you further into the wilderness.

The Land Cruiser 76 V8 Station Wagon has the flexibility of a five-seater with the formidable ability of a 4x4, making it the perfect vehicle to witness the wonder of nature with the whole family. The 4.5 / V8 engine with 151 kW of power and 430 Nm of torque will turn any mountain into a mere molehill.

LAND CRUISER 76

THE INTERIOR

Even though the Land Cruiser 76 V8 Station Wagon is about roughing it in the great outdoors, its interior is comfort-centred. A rear console helps keep everything in its place, plus the back pockets on the driver and front passenger seats give the rear passengers space to store whatever they need for the journey ahead. A rear bench adds extra seating space for up to five passengers, while the station wagon's impressive proportions allow ample legroom for all its occupants. For convenience, the Land Cruiser 76 V8 has electrically adjustable windows. The Land Cruiser 76 V8 Station Wagon now comes with a navigation system, Miracast (Android), Auto Plus Show (Android) and Apple CarPlay (iOS).

THE EXTERIOR

The Land Cruiser 76 V8 is much more than a station wagon! Everything about it is rugged, from its imposing 230 mm ground clearance down to the 16" alloy wheels. Its already strong-featured look is taken to the next level with the painted and plated front bumper, while the aluminium side steps make getting in and out of the Land Cruiser 76 V8 simple.

SUTHERLAND.

TO SEE THE BRIGHTEST STARS IN THE WORLD YOU NEED TO **GO TO THE COLDEST PLACE IN SOUTH AFRICA, A PLACE** WHERE TEMPERATURES FALL TO -16.4°C. **TAKE THE ANCIENT ROAD TO SUTHERLAND. ABOVE** YOU, YOU'LL FIND THE MAP OF THE UNIVERSE AS A BELT OF BRILLIANCE. **BELOW YOUR LAND CRUISER,** THE ROCKS OF MILLENNIA PAST.



BRAVELY COMBAT THE TERRAIN


This vehicle is the ultimate workhorse for the tough African environment. It has got the power to take charge of the most demanding conditions and even with a full one-ton load, this pick-up will go wherever you take it. It is also available in a 4.5ℓ V8 engine with 151 kW of power and 430 Nm of torque that will give your Land Cruiser extra staying power to go where most wouldn't dare.

THE EXTERIOR

The Land Cruiser 79 Single Cab is reliable through and through. Its all-welded integral cabin provides extra strength and safety, which reduces dust/water entry and corrosion that could result from deep water driving. The heavy-duty frame, suspension and drivetrain ensure it can carry the heaviest of loads, both on and off-road. This is aided by the super long wheelbase of 3180 mm. Front fog lamps, alloy wheels and chrome finishes on the grille and door handles make the Land Cruiser 79 Single Cab not only practical but add an edgy style to it as well.

THE INTERIOR

The interior of the Land Cruiser 79 is not only practical, it's built to be comfortable for the driver and passenger no matter where their work takes them. An air conditioner to ensure you're never at the mercy of the weather, regardless of the temperature outside, is a standard feature. Front bottle holders to keep your drinks spill-free, and the lockable glove box to safely stow away your possessions are two other standard features. For convenience, the Land Cruiser 79 Single Cab also has electrically adjustable windows.



SWARTBERG PASS.

A LIFELINE BETWEEN THE TOWNS OF THE GROOT KAROO AND KLEIN KAROO. **THE UNTARRED ROAD LEADS TO THE SUMMIT 1 583 METRES ABOVE SEA LEVEL IN STEEP ZIGZAGS AND SUDDEN SWITCHBACKS. IT'S DANGEROUS, YES.** BUT EVERY BIT WORTH THE THRILL. IN THE LAND CRUISER YOU'LL FIND **NO DANGER, JUST ADVENTURE AWAITS.**

I AND CRUISER 79

70 Series 79 DOUBLE CAB DO ANYTHING, EXPLORE EVERYWHERE


The Land Cruiser 79 Double Cab comes equipped with the durability of the Land Cruiser 79 Single Cab and the extra advantage of rear seating space in the cabin. The Double Cab is multi-functional – it's strong enough to carry heavy loads and is versatile enough to transport five occupants in comfort. The Double Cab is also available in a 4.5ℓ V8 engine with 151 kW of power and 430 Nm of torque, so you can get anyone or anything – anywhere.

Model shown: Land Cruiser 79 Double Cab

Taming the African wild is no mean feat. A certain resilience is needed, something the Land Cruiser 79 Double Cab has got in bakkie loads. This vehicle delivers a go-anywhere carrying capacity in style. The Land Cruiser 79 comes standard with chrome finishes on the grille and door handles, aluminium side steps, as well as front fog lamps. The load bay is 1 525 mm in length and 1 600 mm wide with a load capacity of between 920 kg and 1 005 kg, depending on which model you choose.

THE EXTERIOR







Dash shown: Land Cruiser 79 Double Cab Available vehicle may differ from vehicle shown



THE INTERIOR

4:28. stor

Station list Source

1 94.20 3 98.00 5 107.90 2 94.70 4 105.10 6 106.00

94.70M

WEM

The Land Cruiser 79 Double Cab's exterior is made to be indestructible but its interior features afford you and your passengers the highest level of comfort. Electrically adjustable windows and an air conditioner to make even the hottest of places bearable, while an audio system with Bluetooth and USB port makes sure you're never bored on desolate stretches of road. The Land Cruiser 79 Double Cab range now comes with a navigation system, Miracast (Android), Auto Plus Show (Android) and Apple CarPlay (iOS).

Centre console of the Land Cruiser 79 Double Cab

THE NAMIB DESERT.

THE NAMIB DESERT IS AN ECOSYSTEM **OF CONTRASTS. IT'S A PLACE WHERE COASTLINE MEETS WITH DESERT**, **A PLACE WHERE THE HARDIEST OF CREATURES SURVIVE. TEMPERATURES SOAR TO 40°C AND THE HEAT** PERMEATES EVERY **CONCEIVABLE LIVING SPACE.** NIGHTTIME APPROACHES, TEMPERATURES QUICKLY FALL TO BELOW O°C. NAMIBIA IS A PLACE OF HIGH HIGHS AND LOW LOWS, A PLACE THE LAND **CRUISER CAN TACKLE WITH EASE.**

A summer A



POWER **OVER THE** WILDERNESS

The Land Cruiser 70 range is suited for any call-up; its three powerful and reliable engine options conquer the toughest of terrains. The 4.2*l* diesel engine delivers power of 94 kW @ 3 800 and 280 Nm @ 2200 r/min on the Land Cruiser 79 Single Cab and 79 Double Cab. The 4.0ℓ petrol engine available only on the Land Cruiser 79 Single Cab and Double Cab delivers power of 170 kW @ 5 200 r/min and torque of 360 Nm @ 3 800 r/min. The Land Cruiser Station Wagon, Single Cab or Double Cab are available with a 4.5ℓ V8 engine with 151 kW of power and 430 Nm of torgue, running on a 5-speed manual transmission to conquer even the most seemingly impossible challenges.


The Land Cruiser 70 range features a 5-speed manual transmission and an additional 4-position 4-wheel drive transfer lever, giving the driver maximum control. Its coil spring rigid axle front suspension, in combination with its long wheelbase, offers outstanding directional stability at any speed, in any condition. A leaf spring rigid axle rear suspension ensures that occupants are always comfortable. The Land Cruiser 76 V8 has a ground clearance of 230 mm, while the Land Cruiser 79 model is 235 mm above the ground, allowing the vehicles to handle off-road conditions with confidence.





accessories that best suit your Land Cruiser

FOR A FULL RANGE OF ACCESSORIES, PLEASE VISIT YOUR CLOSEST DEALER OR VISIT WWW.TOYOTA.CO.ZA




ACCESSORIES

PROTECTION FROM THE ELEMENTS (and anything else Africa throws at you)

It takes ultimate courage to stand up to the challenges that make Africa uniquely African. The Land Cruiser 70 range is confidently geared to withstand whatever perilous conditions it encounters; its safety and security standards are class-leading.

nger airbags are standard on all models, and the extended front bumper prevents unnecessary airbag response when driving off-road. The Land Cruiser 70 range comes with an additional safety feature, the Anti-lock Braking System (ABS) which prevents wheels from locking up when driving on slippery surfaces. Rear differential on all models gives extra traction to the rear-wheels o help you negotiate your way out of difficult situations. Ventilated front disk brakes and rear drum brakes make stopping easier on any terrain. For security and peace of mind, all the vehicles in the Land Cruiser 70 V8 models are fitted with an immobiliser, wireless door lock on the entire range.

- 1 Coil spring front suspension for good road holding and rid
- Heavy duty, durable differential pinions (Single Cab
- Long rear leaf springs
- trong and durable drive shaft
- Durable solid front axle
- Ventilated front disc brakes
- 7 Extra-strong heavy duty ladder frame



Product/item	LC79 SC	LC7	9 SC	LC7	9 DC
Product/item	LC 79 Diesel SC	LC 79 Diesel SC	LC 79 Petrol SC	LC 79 Diesel DC	LC 79 V6 Petrol DC
Bumper replacement to be ordered with fitting kit	•	•	•	•	•
Tow bar – detachable flange	•				
Seat covers	•	•	•	•	•
Rear step tow bar – fixed flange (mild steel)		•	•	•	•
Rubberising		•	•	•	•
Toyota safety film	•	•	•	•	•
Styling bar		•	•	•	•
Cattle rails		•	•	•	•
19CY Infotainment		•	•	•	•

ΤΟΥΟΤΑ ENVIRONMENTAL **CHALLENGE 2050**

At Toyota, creating technologically advanced vehicles isn't our only priority; we're committed to lowering our environmental impact throughout our entire production process. How? By setting ourselves six challenges that will see us reach a truly world-changing goal: a positive environmental impact by 2050.



CHALLENGE 1

ZERO CO2 NEW VEHICLE ZERO CO2 EMISSIONS CHALLENGE

By owning a Toyota you would be contributing to the reduction of vehicle CO₂ emissions by 90% in 2050 as opposed to 2010. You will help us promote the development of next-generation vehicles and further accelerate the spread of these vehicles.



CHALLENGE 3

PLANT ZERO CO2 EMISSIONS CHALLENGE

You uphold the two main pillars of our strategy to achieve zero CO₂ emissions at our plants which are:

- 1. Developing and introducing low-CO₂ technologies with ongoing kaizen.
- 2. Adopting renewable energy sources and utilising hydrogen energy.



CHALLENGE 5

CHALLENGE OF ESTABLISHING A RECYCLING-BASED SOCIETY AND SYSTEMS

You have contributed to our 40 years on the challenge of resource recycling. Going forward, by rolling out to the world the technology and systems evolved in Japan, we will all continue working on the challenge of establishing a recycling-based society.

The message is clear – Toyota Motor Corporation (TMC) wholeheartedly supports the Paris Agreement and accepts the challenge to achieve carbon neutrality by 2050. The Paris Agreement is a legally-binding international treaty on climate change and is aimed at reducing the emission of gases that contribute to global warming. While this treaty was only adopted in 2015, Toyota has been innovating and investing in technology to reduce emissions and achieve carbon neutrality for well over 30 years. Toyota has also led the way with more electrified vehicles on the road than any other automaker.

CARBON NEUTRAL

THE TOYOTA LAND CRUISER 70 RANGE HAS BEEN MANUFACTURED TO MINIMISE ITS CARBON FOOTPRINT.

Guided by the goals of the Toyota Environmental Challenge 2050, as little impact as possible is made on the environment during each step of the process. From design to manufacturing, to end-of-life recycling programmes, our planet always comes first. This is because the ultimate long-term goal for Toyota is to make all our vehicles as environmentally friendly as possible. With this in mind, the entire Land Cruiser 70 range has been designed to have very low CO₂ emissions.



CHALLENGE 2

LIFE CYCLE ZERO CO2 EMISSIONS CHALLENGE

You are lending a helping hand to Toyota's efforts to reduce to zero not only CO₂ emissions produced in travelling and manufacturing, but all CO₂ emissions including the process of materials production, disposal and recycling of vehicles.



CHALLENGE 4

CHALLENGE OF MINIMISING AND OPTIMISING WATER USAGE

In automobile manufacturing, we use water in painting, forging and other processes. Therefore, even a small reduction of its impact on the water environments is important. We have two measures to achieve this, comprehensive reduction of the amount of water used and comprehensive purification of the water and returning it to the earth.



CHALLENGE 6

CHALLENGE OF ESTABLISHING A FUTURE SOCIETY IN HARMONY WITH NATURE

Here at Toyota we have engaged in planting trees at our plants and environmental conservation activities in our surrounding areas. To establish a society where humans and nature coexist in harmony, we are promoting several activities to connect regions, the world and the future.

TOYOTA IS SERIOUS ABOUT COMBATING THE PROBLEMS ASSOCIATED WITH WASTE TYRES IN THE COUNTRY AND HAS THEREFORE TAKEN UP ITS PRODUCER RESPONSIBILITY AS DEFINED BY THE WASTE MANAGEMENT ACT OF 2008. WASTE TYRE REGISTRATION NUMBER: TPREG0031GAU

Specifications

Land Cruiser 70 specifications	76 Station Wagon Diesel 4.5ℓ V8	79 Single Cab Petrol 4.0ℓ	79 Single Cab Diesel 4.2ℓ	79 Single Cab Diesel 4.5ℓ V8	79 Double Cab Petrol 4.0ℓ	79 Double Cab Diesel 4.2ℓ	79 Double Cab Diesel 4.5ℓ V8
Engine and Drivetrain							
Engine	1VD-FTV (EGR)	1GR-FE	1HZ (with EGR)	1VD-FTV (EGR)	1GR-FE	1HZ (with EGR)	1VD-FTV (EGR)
Displacement (cm ³)	4461	3956	4164	4461	3956	4164	4461
Cylinder Configuration	8 Cylinders, V-type	6-Cylinders, V-type	6-Cylinders, In-Line	8 Cylinders, V-type	6-Cylinders, V-type	6-Cylinders, In-Line	8 Cylinders, V-type
Maximum Power (kW @ r/min)	151 @ 3400	170 @ 5200	94 @ 3800	151 @ 3400	170 @ 5200	94 @ 3800	151 @ 3400
Maximum Torque (Nm @ r/min)	430 @ 1200-3200	360 @ 3800	280 @ 2200	430 @ 1200-3200	360 @ 3800	280 @ 2200	430 @ 1200-3200
Valve Mechanism	32 Valve, DOHC	24 Valve-DOHC with VVT-i	12 Valve, SOHC	32 Valve, DOHC	24 Valve-DOHC with VVT-i	12 Valve, SOHC	32 Valve, DOHC
Bore x Stroke (mm)	86.0 x 96.0	94.0 x 95.0	94.0 x 100.0	86.0 x 96.0	94.0 x 95.0	94.0 x 100.0	86.0 x 96.0
Fuel System	Diesel-Common Rail	Petrol-EFI	Diesel	Diesel-Common Rail	Petrol-EFI	Diesel	Diesel-Common Rail
Compression Ratio	16.8 : 1	10.0 : 1	22.4 : 1	16.8 : 1	10.0 : 1	22.4 : 1	16.8 : 1
Transmission	5MT	5MT	5MT	5MT	5MT	5MT	5MT
1st Gear Ratio	4.529	4.529	4.313	4.529	4.529	4.313	4.529
2 nd Gear Ratio	2.464	2.464	2.330	2.464	2.464	2.330	2.464
3 rd Gear Ratio	1.490	1.490	1.436	1.490	1.490	1.436	1.490
4th Gear Ratio	1.000	1.000	1.000	1.000	1.000	1.000	1.000
5 th Gear Ratio	0.881	0.881	0.838	0.881	0.881	0.838	0.881
Reverse	4.313	4.313	4.220	4.313	4.313	4.220	4.313
Rear Differential	3.909 4P Diff Lock	4.100 4P Diff Lock	4.100 4P Diff Lock	3.909 4P Diff Lock	4.100 4P Diff Lock	4.100 4P Diff Lock	3.909 4P Diff Lock
Stabiliser	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only	Front Only
Front Suspension	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)
Rear Suspension	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)
Service and Warranty							
Service Intervals	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 5 000 km	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 5 000 km	12 Months / 10 000 km
Service Plan	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Wheels and Tyres				· · · · · · · · · · · · · · · · · · ·			
Tyre Size	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy	265/70R16 Alloy
Spare Wheel Cover	•						
Spare Tyre	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy	Full-265/70R16 Alloy
Body and Styling							
Over Fender (Body Integrated)	•	•	•	•	•	•	•
Mud Guard (Front & Rear)	•	•	•	•	•	•	•
Side Steps	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Towing Hook (Standard -2)	•	•	•	•	•	•	•
	Extension (136 mm),	Extension (136 mm),	Extension (136 mm),	Extension (136 mm),	Extension (136 mm),	Extension (136 mm),	Extension (136 mm),
Front Bumper	Painted, Chrome	Painted, Chrome	Painted, Chrome	Painted, Chrome	Painted, Chrome	Painted, Chrome	Painted, Chrome
Rear Bumper	Plated and bumper corner painted and RR conbination lamp						
Front Grille	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
Mud Guards						Over Fender (Front) & Std (Rear)	Over Fender (Frent) & Otd (Deer)
	Over Fender (Front & Rear) ADR	Over Fender (Front) & Std (Rear)	Over Fender (Front) & Std (Rear)	Over Fender (Front) & Std (Rear)	Over Fender (Front) & Std (Rear)	Over renuer (rioni) & Siu (near)	Over Fender (Front) & Std (Rear)
Headlamps	Over Fender (Front & Rear) ADR Halogen	Over Fender (Front) & Std (Rear) Halogen	Over Fender (Front) & Std (Rear) Halogen	Over Fender (Front) & Std (Rear) Halogen	Over Fender (Front) & Std (Rear) Halogen	Halogen	Halogen
			. , . ,				
Headlamps	Halogen		. , . ,		Halogen		
Headlamps Front Fog & Driving Lamp	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex
Headlamps Front Fog & Driving Lamp Outside Rear View Mirror	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex	Halogen • Door D & P: Convex
Headlamps Front Fog & Driving Lamp Outside Rear View Mirror Interior, Comfort and Convenience	Halogen • Door D & P: Convex W/E-Mark, Plated Fabric	Halogen • Door D & P: Convex W/E-Mark Vinyl	Halogen • Door D & P: Convex W/E-Mark Vinyl	Halogen • Door D & P: Convex W/E-Mark Fabric			
Headlamps Front Fog & Driving Lamp Outside Rear View Mirror Interior, Comfort and Convenience Seat Material Steering Column Adjustments	Halogen • Door D & P: Convex W/E-Mark, Plated Fabric Tilt, Telescopic & Collapsible	Halogen • Door D & P: Convex W/E-Mark Vinyl Tilt, Telescopic & Collapsible	Halogen • Door D & P: Convex W/E-Mark Vinyl Tilt, Telescopic & Collapsible	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible
Headlamps Front Fog & Driving Lamp Outside Rear View Mirror Interior, Comfort and Convenience Seat Material Steering Column Adjustments Steering Wheel	Halogen	Halogen • Door D & P: Convex W/E-Mark Vinyl Titt, Telescopic & Collapsible 4-Spoke Urethane D390	Halogen • Door D & P: Convex W/E-Mark Vinyl Titt, Telescopic & Collapsible 4-Spoke Urethane D390	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390
Headlamps Front Fog & Driving Lamp Outside Rear View Mirror Interior, Comfort and Convenience Seat Material Steering Column Adjustments Steering Wheel Shift & Lever Knob	Halogen	Halogen • Door D & P: Convex W/E-Mark Vinyl Titt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane	Halogen • Door D & P: Convex W/E-Mark Vinyl Tilt, Telescopic & Collapsible	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane
Headlamps Front Fog & Driving Lamp Outside Rear View Mirror Interior, Comfort and Convenience Seat Material Steering Column Adjustments Steering Wheel Shift & Lever Knob Power Steering (Hydraulic)	Halogen	Halogen • Door D & P: Convex W/E-Mark Vinyl Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Vinyl Titt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Fabric Titt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Fabric Tiit, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •
Headlamps Front Fog & Driving Lamp Outside Rear View Mirror Interior, Comfort and Convenience Seat Material Steering Column Adjustments Steering Wheel Shift & Lever Knob Power Steering (Hydraulic) Electrically Adjustable Windows	Halogen	Halogen • Door D & P: Convex W/E-Mark Vinyl Titt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane	Halogen • Door D & P: Convex W/E-Mark Vinyl Titt, Telescopic & Collapsible 4-Spoke Urethane D390	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane
Headlamps Front Fog & Driving Lamp Outside Rear View Mirror Interior, Comfort and Convenience Seat Material Steering Column Adjustments Steering Wheel Shift & Lever Knob Power Steering (Hydraulic)	Halogen	Halogen • Door D & P: Convex W/E-Mark Vinyl Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Vinyl Titt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Fabric Titt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Fabric Tiit, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •	Halogen • Door D & P: Convex W/E-Mark Fabric Tilt, Telescopic & Collapsible 4-Spoke Urethane D390 Urethane •

Specifications

Land	Crui	iser	70	spec	ifica

intenoi, connort and convenier
Room Lamps
Inside Rear View Mirror
Cup Holders
Glove Box
Centre Console Box
Air Conditioner (Manual)
Combination Switch
Speedometer
Digital Clock
Light Remind Warning (With Bu
Door Ajar Warning
Audio System With Bluetoth & U
Navigation System
Miracast (Android Only), Auto P Apple CarPlay (iOS)

Safety and Security

	Child Lock
	High Mount Stop Lamp
	Driver & Front Passenger Airba
I	Anti-Theft System: Siren / Alar
	Power Door Lock
	Wireless Door Lock (Remote)
	Rear Drum Brakes

Dimensions and Capacities Overall Length Overall Height Overall Width (mm) Wheelbase (mm) Approach Angle (Degrees) Departure Angle (Degrees) Front Tread (mm) Rear Tread (mm) Min Ground Clearance (mm) Front Overhang (mm) Rear Overhang (mm) Min Turning Radius (Tyre) Interior Width (mm) Interior Length (mm) Interior Height (mm) Gross Vehicle Weight (kg)

Curb Weight (kg) (Max) Gross Combined Mass (kg) Max Speed (km/h) CO₂ Emissions - Combined (g/ Fuel Consumption - Combined Towing Capacity (kg): Unbrake Towing Capacity (kg): Trailer Wi Load Capacity

ations	76 Station Wagon Diesel 4.5ℓ V8	79 Single Cab Petrol 4.0ℓ	79 Single Cab Diesel 4.2ℓ	79 Single Cab Diesel 4.5ℓ V8	79 Double Cab Petrol 4.0ℓ	79 Double Cab Diesel 4.2ℓ	79 Double Cab Diesel 4.5ℓ V8
		100014.00			1 0101 4.00	Di0301 4.20	Dieser 4.50 V0
ence	•		•		•	•	
		• Dev (Nielet		• Davi (Misht			•
	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
	•	•	•	•		•	•
	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	Standard Type	Standard Type	Standard Type	Standard Type	Standard Type	Standard Type	Standard Type
	Analog	Analog	Analog	Analog	Analog	Analog	Analog
	•	•	•	•	•	•	•
uzzer)	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
USB	Toyota / Display Audio				Toyota / Display Audio	Toyota / Display Audio	Toyota / Display Aud
	•				•	•	•
Plus Show (Android Only)	•				•	•	•
	•				•	•	•
	•						
ags	•	•	•	•	•	•	•
rm & Immobiliser	•			•			•
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
	4910	5005	5095	5245	5095	5095	5235
		5095					
	1940	1955	1955	1955	1955	1955	1945
	1940 1870	1955 1870	1955 1870	1955 1870	1955 1870	1955 1870	1945 1870
	1940 1870 2730	1955 1870 3180	1955 1870 3180	1955 1870 3180	1955 1870 3180	1955 1870 3180	1945 1870 3180
	1940 1870 2730 33	1955 1870 3180 36	1955 1870 3180 36	1955 1870 3180 33	1955 1870 3180 36	1955 1870 3180 36	1945 1870 3180 33
	1940 1870 2730 33 23	1955 1870 3180 36 27	1955 1870 3180 36 27	1955 1870 3180 33 27	1955 1870 3180 36 27	1955 1870 3180 36 27	1945 1870 3180 33 27
	1940 1870 2730 33 23 1555	1955 1870 3180 36 27 1555	1955 1870 3180 36 27 1555	1955 1870 3180 33 27 1555	1955 1870 3180 36 27 1555	1955 1870 3180 36 27 1555	1945 1870 3180 33 27 1555
	1940 1870 2730 33 23 1555 1460	1955 1870 3180 36 27 1555 1460	1955 1870 3180 36 27 1555 1460	1955 1870 3180 33 27 1555 1460	1955 1870 3180 36 27 1555 1460	1955 1870 3180 36 27 1555 1460	1945 1870 3180 33 27 1555 1460
	1940 1870 2730 33 23 1555 1460 230	1955 1870 3180 36 27 1555 1460 235	1955 1870 3180 36 27 1555 1460 235	1955 1870 3180 33 27 1555 1460 235	1955 1870 3180 36 27 1555 1460 235	1955 1870 3180 36 27 1555 1460 235	1945 1870 3180 33 27 1555 1460 235
	1940 1870 2730 33 23 1555 1460 230 860	1955 1870 3180 36 27 1555 1460 235 710	1955 1870 3180 36 27 1555 1460 235 710	1955 1870 3180 33 27 1555 1460 235 860	1955 1870 3180 36 27 1555 1460 235 710	1955 1870 3180 36 27 1555 1460 235 710	1945 1870 3180 33 27 1555 1460 235 850
	1940 1870 2730 33 23 1555 1460 230 860 1320	1955 1870 3180 36 27 1555 1460 235 710 1205	1955 1870 3180 36 27 1555 1460 235 710 1205	1955 1870 3180 33 27 1555 1460 235 860 1205	1955 1870 3180 27 1555 1460 235 710 1205	1955 1870 3180 36 27 1555 1460 235 710 1205	1945 1870 3180 33 27 1555 1460 235 850 1205
	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2
	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515
	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660
	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 1225
	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215 3060	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120 3300	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300
	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370
	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800
	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800 160
/km)	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160 313	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165 343	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150 320	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800 160 313
d (ℓ/100km)	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160 313 11.9	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700 165	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700 140	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800 160	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165 343 14.4	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150 320 12.2	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800 160 313 11.9
d (∥100km) ed Trailer	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160 313 11.9 750	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700 165 750	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700 140 750	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165 343 14.4 750	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150 320	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 1225 3300 2370 6800 160 313 11.9 750
/km) d (c//100km) ed Trailer Vith Overrun Brake	1940 1870 2730 33 23 1555 1460 230 860 1320 6.3 1515 1700 1215 3060 2320 6560 160 313 11.9	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2315 4700 165	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1510 980 1120 3200 2435 4700 140	1955 1870 3180 33 27 1555 1460 235 860 1205 7.2 1510 980 1120 3300 2260 6800 160	1955 1870 3180 36 27 1555 1460 235 710 1205 7.2 1515 1660 1225 3200 2360 4700 165 343 14.4	1955 1870 3180 36 27 1555 1460 235 710 1205 6.3 1515 1660 1225 3200 2470 4700 150 320 12.2	1945 1870 3180 33 27 1555 1460 235 850 1205 7.2 1515 1660 2370 6800 160 313 11.9

* 4.5 litre V8 requires premium Diesel fuel (50 ppm or below). * Please note that the OBD may result in the OBD indicator light being on depending on the driving conditions. Please take the vehicle to your nearest Toyota dealer if this occurs.

LC 79 DOUBLE CAB COLOURS (MODEL SHOWN: LAND CRUISER 79 DOUBLE CAB)



Ivory White (058)



Sand Beige (4E9)

COLOURS BY SPECIAL ORDER







Satin Silver Metallic (1F7)

Graphite Grey Metallic (1G3)





Golden Beige Metallic (4R3)

Dark Blue (8H6)

LC 79 SINGLE CAB STANDARD COLOURS (MODEL SHOWN: LAND CRUISER 79 SINGLE CAB)





Ivory White (058)

Sand Beige (4E9

COLOURS BY SPECIAL ORDER







Ruby Metallic (3Q3)

Satin Silver Metallic (1F7)

Graphite Grey Metallic (1G3)





Dark Blue (8H6)

Golden Beige Metallic (4R3)



Toyota vehicles are known for their Quality, Durability and Reliability. Keeping your Toyota Genuine means no compromises in terms of safety, performance and resale value. The range of Genuine Products and Approved Services will ensure complete peace of mind throughout the ownership journey and beyond. For more information on how to Keep Your Toyota Genuine visit **www.toyota.co.za/genuine**

Toyota Genuine Products

For guaranteed fit and function, **Genuine Parts** are essential in maintaining the safety and reliability of your vehicle. They also comply with all safety, regulatory and environmental requirements, making it the obvious choice. The same exacting precision applies to **Toyota Accessories**, developed by engineers with extensive knowledge on vehicle integration – you can enhance the appeal and functionality of your Land Cruiser 70 Series without compromising its safety features or warranty. Warranties are about peace of mind, and the **Genuine Unlimited Warranty** is designed to provide superior cover (up to 6 or 8 years, unlimited mileage) and a seamless claims process thanks to full integration with Toyota systems. The **Genuine Extended Service Plan** also enjoys exclusive approval by Toyota SA and provides flexible extension options up to 10 years or 200 000 km to suit your period of ownership. Paying today's rates for tomorrow's maintenance is a sensible way to protect the resale value of your Land Cruiser 70 Series by means of a full service history.

Toyota Approved Services

Specialised vehicle maintenance requires first-class facilities, advanced equipment and expert knowledge. **Toyota Quality Service and Value Service** not only promise accurate diagnosis and repair, but also a philosophy of building trust through a genuine concern for the needs of our customers. To complement the extensive network of Toyota dealers, we have a vast number of **Accredited Body and Paint Repairers**, selected on stringent criteria to ensure outstanding workmanship and customer service. You can maintain your vehicle's pristine condition without compromising its warranty thanks to the exclusive use of Genuine Parts by our Accredited Repairers. Offering 24-hour access to a full complement of assistance and recovery benefits, **Toyota Roadside Assistance** provides the peace of mind that competent support is only a phone call away.

TOYOTA GENUINE MEANS UNCOMPROMISED SAFETY GUARANTEED QUALITY PEACE OF MIND



Download the ^{My}**TOYOTA** App from the <u>Google Play Store</u> or the <u>App Store</u> to receive the latest Toyota news, keep an eye on your vehicle's finance and book your vehicle for a service. You can also book a test drive or arrange roadside assistance, all on your phone.

DISCLAIMER:

The information contained in this brochure is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this brochure are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this brochure are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this brochure may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this brochure in terms of their correctness, accuracy, adequacy, usefulness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

TOYOTA FINANCIAL SERVICES

There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Land Cruiser 70 series model deal for you.

At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Land Cruiser 70 series model. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance. Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/toyota-finance



