



TOYOTA HILUX CUSTOM BUILDS



LEGENDARY
TOUGHNESS



Issued on: 2026/08/17



SPECIFICATIONS

2.4GD A/C 5MT F/Deck

2.4GD6 4X4 6MT F/Deck

Engine and Drivetrain

Bore x Stroke (mm)	92.0 x 90.0	92.0 x 90.0
Differential Lock		•
Displacement (cm³)	2393	2393
Fuel System	Diesel	Diesel
Maximum Power (kW @ r/min)	110 @ 3400	110 @ 3400
Maximum Torque (Nm @ r/min)	343 @ 1400-2800	400 @ 1600-2000
Number of Cylinders and Arrangement	Inline-4	Inline-4
Engine capacity (litre)	2.4	2.4

Transmission

Transmission	Manual-5-speed	Manual-6-speed
Driven Wheels	RWD	4WD Part-Time
Starting System	Rotary (Mechanical)	Rotary (Mechanical)

Suspension

Front	Double Wishbone	Double Wishbone
Rear	Leaf-Spring---Rigid-Axle	Leaf-Spring---Rigid-Axle

Wheels and Tyres


Spare Wheel	Full Steel	Full Steel
Tyre Size	F:205-70R15C Steel- R:205-70R15C Steel	F:225-70R17 Steel- R:225-70R17 Steel

Body and Styling

Door Outside Handles	Black	Black
Front Bumper	Black	Black
Headlights	Halogen	Halogen
Headlamp Levelling	Standard Manual	Standard Manual
Side mirrors	Black, Power	Black, Power
Over-Fenders	•	•
Front Grille	Black	Black
Rear Lights	Bulb Type	Bulb Type
Front side Glass	Green	Green
Side Step		
Roof Rails		

Interior, Comfort and Convenience

4WD Indicator		•
4WD Selector		Standard Switch
Cupholders	•	•
Floor Carpet Trim	PVC	PVC
Front Headrest	Integrated	Integrated



SPECIFICATIONS

2.4GD A/C 5MT F/Deck


2.4GD6 4X4 6MT F/Deck

Interior, Comfort and Convenience

Rear View Mirror	Day & Night	Day & Night
Key Reminder Warning	•	•
2nd Row Seats	Without	Without
Seat Trim	PVC	PVC
Shift Lever & Knob	Urethane	Urethane
Speedometer	Analog	Analog
Steering Wheel	4 Spoke Urethane	4 Spoke Urethane
Front Personal Lamp	•	•
Centre Console	Standard Box	Standard Box
Airconditioner	Manual	Manual
Front Seat Adjustment	Driver Manual	Driver & Passenger Manual
Front Seat Reclining	Driver & Passenger Manual	Driver & Passenger Manual
Light Remind Warning	•	•
Power Socket	Front - 12V	Front - 12V
Power Steering	Hydraulic	Hydraulic / Variable / Flow / Control
Electric Windows	Front	Front One Touch Driver only
Speakers	Standard 2	Standard 2
Steering Column Adjustments	Manual Tilt	Manual Tilt
Steering Switches		Standard Audio, Telephone
Sun Visor	Standard Ticket Holder Driver	Standard Ticket Holder Driver
Toyota Connect Enabled	•	•

Safety and Security

Anti-Theft System	Immobiliser Alarm / Intrusion Sensor	Immobiliser Alarm / Intrusion Sensor
Auto Door Lock	Standard Speed Dependent	Standard Speed Dependent
Emergency Brake Signal		•
Parking Brake	Lever	Lever
Front Brake	Ventilated Disc	Ventilated Disc
Front Seat Belts	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter
Power Door Lock	Standard	Standard
Rear Brake	Drum	Drum
Seat Belt Warning	Front Buzzer + Light	Front Buzzer + Light
Wireless Door Lock	Standard Remote	Standard Remote



SPECIFICATIONS

2.4GD A/C 5MT F/Deck

2.4GD6 4X4 6MT F/Deck

Safety and Security

Airbags	Driver, Passenger, Driver Knee	Driver, Passenger, Driver Knee
---------	--------------------------------	--------------------------------

Driver Support Systems

Anti-Lock Braking System (ABS)	•	•
Brake Assist (BA)	•	•
Electronic Brake Force Distribution (EBD)	•	•
Hill Assist Control (HAC)		•
Traction Control (TRC)	Without,	Standard,
Vehicle Stability Control (VSC)		•
Trailer Sway Control (TSC)		•


Service and Warranty


Service Plan	9 Services / 90, 000km	9 Services / 90, 000km
Service Interval	12 months / 10, 000km	12 months / 10, 000km
Warranty	3 years / 100, 000km	3 years / 100, 000km

Dimensions and Capacities

Front Overhang (mm)	990	990
Front Tread (mm)	1510	1500
Fuel Tank Size (L)	80	80
Gross Combination Mass (GCM)	5280	5850
Gross Vehicle Mass (GVM)	2810	2870
Height (mm)	1690	1795
Length (mm)	5075	5070
Rear Overhang (mm)	990	990
Rear Tread (mm)	1510	1510
Towing Capacity - Unbraked (kg)	750	750
Towing Capacity - Braked (kg)	2500	3500
Turning circle (tyres, m)	5.9	6.3
Wheelbase (mm)	3085	3085
Top Speed (km/h)	175	170

LINE DRAWING





SPECIFICATIONS


EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.


MONOTONE

BI-TONE

[OBJECT OBJECT]



040 - Glacier White



Disclaimer:

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.



HILUX

CUSTOM BUILDS

